

QUICK REFERENCE GUIDE

for

Providers

August 2009



- Women's Health Check provides breast cancer screenings to women 50-64 years of age, and cervical cancer screenings to women 40-64 years of age, who have no insurance for screening services and limited family income.
- Women's Health Check is funded by the Centers for Disease Control and Prevention (CDC) as a cooperative agreement with the state of Idaho through Local Coordinating Contractors (LCC), which may be your local Health Department or a community clinic.
- Nationally, the program is known as the National Breast and Cervical Cancer Early Detection Program (NBCCEDP).
- Since July 1, 2001, women who have been screened and/or diagnosed with breast or cervical cancer through Women's Health Check may be eligible for treatment through Idaho Medicaid (BCC Medicaid). Women must be under 65, a US Citizen or an eligible alien, and have no creditable insurance.



BREAST SCREENING

Eligibility Guidelines

- Women aged 50 to 64: clinical breast exam, mammogram
- Low Income: see chart below
- No health insurance coverage for mammogram
- Women over age 65 who are NOT eligible for Medicare or do not have Medicare Part B
- U.S. Citizen or Eligible Alien

Limited Enrollment Guidelines for Uninsured Women:

- Women aged 30 to 49 with symptoms suspicious of breast cancer or with an abnormal screening requiring further testing
- Health care professional must complete Limited Enrollment Approval form

Program Includes:

- Annual clinical breast exam
- Annual mammogram
- · Follow-up diagnostic tests as needed

2009 Income Guidelines <200% Federal Poverty Level

Family Size	Yearly Income	Monthly Income
1 person	\$21,660	\$1,805
2 people	\$29,140	\$2,428
3 people	\$36,620	\$3,052
4 people	\$44,100	\$3,675
5 people	\$51,580	\$4,298
For each additional person, add	\$ 7,480	\$ 623



Eligibility Guidelines

- Women aged 40 to 64: Pap test for those with intact cervix (or personal history of cervical cancer)
- Low Income: see chart below
- No health insurance coverage for a Pap test
- Women over age 65 who are NOT eligible for Medicare or do not have Medicare Part B
- U.S. Citizen or Eligible Alien

Limited Enrollment Guidelines for Uninsured Women:

- Women aged 30 to 39 with symptoms or a Pap result suspicious for cervical cancer requiring further testing
- Health care professional must complete Limited Enrollment Approval form

Program Includes:

- Conventional Pap test every 12 months
- Liquid-based Pap test every 24 months
- Follow-up diagnostic tests as needed

Note: Women who have not had a Pap test in the last five years are at high risk for cervical cancer and are a priority for enrollment.

2009 Income Guidelines <200% Federal Poverty Level

Family Size	Yearly Income	Monthly Income	
1 person	\$21,660	\$1,805	
2 people	\$29,140	\$2,428	
3 people	\$36,620	\$3,052	
4 people	\$44,100	\$3,675	
5 people	\$51,580	\$4,298	
For each additional person, add	\$ 7,480	\$ 623	

Enrollment

- All Local Coordinating Contractors (LCC) can enroll eligible clients. In some areas, private providers may also enroll clients. Discuss this with your LCC to determine which method you should use to enroll your patients.
- The program is a screening and diagnostic program. Your patients will need to be enrolled and obtain a service through the program <u>prior to diagnosis</u> to be eligible for treatment coverage.
- The enrollment form's "Client Eligibility" box should be completed by the enrollment site. The client should complete the remaining questions and sign the enrollment <u>before</u> sending it to your LCC.
- Send a copy of potential insurance if applicable.

5

Send a copy of alien ID if applicable.

Client Eligibility*







Limited Enrollment



 Limited enrollment is for women 30-49 years old who have an abnormal breast or cervical test or exam that is suspicious for cancer. Please contact your LCC as soon as you identify an abnormality.

• If you have a client needing services in this age

group, complete the Enrollment and Limited Enrollment Approval form. Send both forms to your LCC.

Each LCC has a designated case manager who is able to assist you with identifying which services are available for your clients.

 Uninsured women age 30 – 39 symp 	gh risk and/or symptomatic for <u>breast cancer</u> stomatic for <u>breast cancer</u>		
Uninsured women age 30 – 39 at his	gh risk and/or symptomatic for <u>cervical cancer</u>		
Client Name:	Age: D.O.B		
Enrollment based on the following clinical symptoms or risk factors for breast cancer: Clinical Findings: (Uninsured women age 30 – 49 can be enrolled if	Enrollment based on the following clinical symptoms or risk factors for <u>cervical cancer</u> : (Unisured women age 30 – 30 can be erroled based on having at least one risk factor and/or symptoms for cervical cancer)		
symptomatic)	Clinical Findings: Previous abnormal pap/cervical cytology/colposcopy/or biopsy		
□ Unilateral □ Irregular boundaries □ Non-moveable □ Tender □ Non-tender			
□ Discharge □ Scaling	Date of prior cytology and results if known:		
☐ Dimpling or retraction ☐ Other ☐ Confirmed by CBE, performed by	Date of colposcopy/ biopsy and results if known:		
☐ Confirmed by mammogram			
	☐ Hx of other sexually transmitted infections		
Additional Information: Post menopausal	☐ Abnormal bleeding ☐ Lesion – size		
	☐ Prior LEEP/Cone ☐ Cervical Erosion		
Risk Factors: (Uninsured women age 40 – 49 can be enrolled if the	Additional Clinical information (i.e. pertinent clinical history, physical findings, gynecological surgery):		
following applies)			
☐ Breast cancer hx: Self Age at onset:	Risk Factors:		
☐ Breast biopsy hx: Number of biopsies: ☐ Result of atypical hyperplasia	□ Never or rarely screened: (Defined by Centers for Disease Control as a risk factor)		
□ Previous chest irradiation	☐ Has never had a Pap ☐ 5 years or more since smear last Pap smear		
	☐ Hx of reproductive cancer		
	☐ Tobacco use: Number of years		
	ient is at high risk and/or symptomatic for breast dergoing diagnostic workup. Enrollment in Women's creening is recommended.		
Clinician: Tit	le: Phone: Date:		
Contacting Clinic:			

Forms are available on-line at www.HealthandWelfare.idaho.gov under Women's Health in the eManual.

BREAST SCREENING

Service Summary

Screening Services for women 50-64

For women 30-49 with suspicious Clinical Breast Exam (CBE) or Mammogram (health care professional must complete Limited Enrollment Approval form).

Annual Screening Services:

- Clinical breast exam
- Mammogram

Diagnostic Services, if needed:

- Repeat CBE and/or mammogram
- Fine needle aspiration (FNA)
- * Ultrasound
- Core-needle biopsy
- Stereotactic breast biopsy
- Incisional and excisional biopsies
- Specialist consultation
- * Anesthesia associated with biopsy



CERVICAL SCREENING

Service Summary

Screening Services for women 40-64

For women 30-39 with a finding suspicious for cervical cancer (health care professional must complete Limited Enrollment Approval form).

Screening Services:

- Pelvic exam
- Conventional Pap test every 12 months or
- Liquid Based Pap test every 24 months
 Note: After three (3) consecutive normal
 Conventional or Liquid Pap tests the Pap interval changes to every 36 months.


Diagnostic Services, if needed:

- Repeat Pap test
- Colposcopy (with or without biopsy)
- Specialist consultation
- * HPV testing, for triage of ASC-US
- * LEEP or Conization (requires preauthorization from the state office)




Clinical Breast Exam/Mammography


Expected Follow-up:



Minimum Expected Follow-up: Breast or Cervical

- Whenever there is an abnormal, suspicious for cancer test result, a diagnostic work-up MUST be planned and recorded.
 - All clients with abnormal findings receive a definitive diagnosis.
 - All abnormal findings are resolved and reported.
- The time between the dates of the abnormal test result to final diagnosis MUST be no more than 60 days.
 - · All diagnostic workups are resolved and reported.
- ✓ The time between the date of diagnosis and initiation of treatment MUST be no more than 60 days.
 - All clients needing treatment are referred.
- ✓ In the case of unsatisfactory results, the test must be repeated and the results reported to *Women's Health Check*.





Positive Pathology = Treatment

Apply for BCC Medicaid

Pap Test
Expected Follow-up:
(Please consult 2006 ASCCP Guidelines for Individual Clinical Decision Making).

Negative		Repeat Pap in: •12 months if conventional, until 3 normal, then every 3 years •24 months if liquid based, until 3 normal, then every 3 years				
Unsatisfactory		Repeat as soon as practical				
ASC-US	HPV recommended, If HPV positive, work-up required:	Colposcopy & Biopsy				
	If no work-up planned:	Repeat Pap in 6 months x 2,				
LSIL	Work-up recommended.	Colposcopy & Biopsy / ECC				
ASC-H HSIL AGC Squamos carcinoma AIS Adenocarcinoma	Work-up required. Normal Pap	Colposcopy & Biopsy; ECC if indicated				
	,					
Conventional Pap, Every 12 months x 3 years (within 60 months)		Liquid Based Pap, Every 24 months x 3 years (within 60 months)				
	Screen every 3 ye	ears				
Unsatisfactory Pap						

Normal

Resume normal screening guidelines

Abnormal

Follow 2006 ASCCP Guidelines

Data Submission

- Enrollment forms are to be submitted to your Women's Health Check (WHC) Local Coordinating Contractor (LCC) within one week.
- All test or exam results must be reported to your WHC LCC within the week of service or as soon as test results are available. *Please discuss the best method of communication with your LCC contact.
- Mammograms must be reported using the accepted BI-RADs numerical categories.
- Pap test results must be reported using BETHESDA categories.
- CBE results must be recorded according to the categories listed in WHC Real Time or WHC Screening Form (paper).
- Any screening test considered suspicious for breast or cervical cancer must receive adequate and timely follow-up and appropriate case management. Your LCC case manager can assist you with scheduling diagnostic tests covered by WHC.
 - * Your LCC submits test results to the state WHC program through the WHC Real Time system.

Billing/Claims Submission

 Submit complete claim forms, within 90 days of service, to the WHC Third Party Administrator:

United Group Programs
Attn: Idaho Women's Health Check Program
2500 N. Military Trail, Suite 450
Boca Raton, FL 33431
1-800-413-1897

- Please do not bill WHC for services not covered by the program. Remember WHC services are limited. Please refer to the current WHC Current Procedural Terminology CPT Code list for services covered.
- Detailed information you provide to your LCC will help ensure payment for WHC services (claims are paid after results are reported to your LCC).



BCC Medicaid

- Women who are screened and/or diagnosed through WHC most likely will be eligible for treatment through Medicaid. When you receive a pathology report that identifies the need for treatment, contact your LCC immediately.
- Each LCC has an identified case manager available to assist you and your patient through Presumptive Eligibility. The process can usually be determined within 3 - 4 days.
- Once approved for Medicaid, your client will have a care manager who works for the Department of Health and Welfare. She will assist your client during her treatment and is a good resource for questions concerning Medicaid coverage.

Returning to Women's Heath Check

When your patient has completed her treatment for cancer, she will no longer be eligible for Medicaid. She is eligible to return to WHC for breast and cervical screening. Please contact your LCC to update your patient's enrollment.



Local Coordinating Contractors

		Phone	
Л	District	Fax	Coordinator
1	Panhandle District Health Department	415-5100 415-5101	Gail Turley
2	Public Health - Idaho North Central District	799-3100 799-0349	Susan Stutzman
3	Southwest District Health Department	455-5300 Caldwell 454-7722	for Caldwell contact: Debbie Dobbs 365-6371
		365-6371 Emmett 365-4729	Debbie Dobbs
5	South Central Public Health District	 737-5900 734-9502	Alice Hernandez
6	Southeast District Health Department	233-9080 234-7169	Julie Fagnant
7	Eastern Idaho Public Health District	 522-0310 525-7063	Pat Fletcher
	Facility	Phone Fax	Coordinator
9	Terry Reilly Health Services	 466-7869 466-5359	Roxanne Ohlund
10	Family Medicine Residency of Idaho	367-6030 947-0913	Tonya Bowers
11	St. Alphonsus Breast Care Center	367-3336 367-3390	Cynthia Benson



Reference

ACRONYMS:

NL = Normal

ABNL = Abnormal

LSIL/HSIL = Low/High grade squamous intraepithelial lesions

ASC-US = Atypical squamous cells undetermined significance

ASC-H = Atypical squamous cells - Cannot exclude High Grade SIL

AGC-NOS = Atypical Glandular Cells - Not Otherwise Specified

ACIS = Adenocarcinoma is situ

HPV = Human papillomavirus

EMB = Endometrial Biopsy

CBE = Clinical Breast Exam


LCC = Local Coordinating Contractor for Women's Health Check


FNA = Fine Needle Aspiration

LEEP = Loop Electrosurgical Excision Procedure

BIRAD = Uniform reporting system for mammography results

CA = Cancer







Women's Health Check 450 W. State Street, 4th Floor

P.O. Box 83720 Boise, ID 83720-0036

Phone: (208) 334-5805 Fax: (208) 334-0657

Email: orgillj@dhw.idaho.gov

